

ABSTRACT

[illegible]

Dated:27.02.2013.
Read the following:-

1. From the Engineer-in-Chief, PR, Hyderabad, Lr.No.OP.I/ 20517/2008, dt.24.03.2012.
2. G.O.Rt.No.2082, PR & RD (Estt.I.2) Deptt., Dated:19.11.2012.
3. G.O.Rt.No.2083, PR & RD (Estt.I.2) Deptt., Dated:19.11.2012.
4. G.O.Rt.No.2230, PR & RD (Estt.I.2) Deptt., dt:11.12.2012.
5. G.O.Rt.No.2231, PR & RD (Estt.I.2) Deptt., dt:11.12.2012.
6. WSD of Sri R. Hanmantha Rao, EE, PRI, Nalgaonda (u/s), dt:31.1.2013.
7. WSD of Sri V. Munichandra Naidu, i/c EE, PIU, Ongole (u/s), dt:31.1.2013.
8. G.O.Rt.No.322, PR & RD (Estt.I.2) Deptt., dt:27.02.2013.

--:0:--

ORDER:

In the reference 4th and 5th read above charges were framed against S/Sri R. Hanmanth Rao, the then In-charge Executive Engineer, Panchayat Raj, Kothagudem (now under suspension) and V. Munichandra Naidu, the then In-charge Executive Engineer, Panchayat Raj, Kothagudem (now under suspension), on the allegations in connection with considering the honorary service rendered by the deceased NMR (Sri K. Nageswara Rao) and for submitting the proposals for consequent regularization of his services as Watchman-cum-Sweeper in Khammam District under Rule 20 of APCS (CC&A) Rules, 1991.

2. In response to the above said charges, the Charged Officers have submitted their written statements of defence, vide references 6th and 7th read above.

3. After examining the Written Statements of Defence submitted by the Charged Officers, Government have decided to conduct regular enquiry into the matter under Rule 24 (1) of APCS (CC&A) Rules, 1991 through Common Proceedings vide reference 8th read above.

4. Accordingly, Government hereby appoint Chief Engineer, NABARD, Panchayat Raj, office of the Engineer-In-Chief, Panchayat Raj, Hyderabad as Enquiry Officer, under Rule 20 (2) of Andhra Pradesh Civil Services (CC&A) Rules, 1991, to conduct departmental enquiry on the allegations leveled against S/Sri R. Hanmanth Rao, the then In-charge Executive Engineer, Panchayat Raj, Kothagudem and V. Munichandra Naidu, the then In-charge Executive Engineer, PRI, Kothagudem.

(PTO)

//2//

5. Government also hereby appoint the Superintending Engineer, Panchayat Raj, Khammam, as Presenting Officer, to present the case, before the Enquiry Officer, appointed in Para-4 above, on behalf of the Government under Rule 20 (5) (c) of Andhra Pradesh Civil Services (CC & A) Rules, 1991.

6. The Presenting Officer shall acquaint himself with the facts of the case and present the case before the Enquiry Officer effectively. He is also requested to obtain and produce all necessary documents required by the Enquiry Officer, during the course of enquiry.

7. The Enquiry Officer is requested to conduct the enquiry strictly in terms of Rule 20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991 and submit his report as required under sub-rule 18 (ii) of the above said rule. Copies of Charge Memos issued to the Charged Officers and the Written Statements of Defence submitted by them are herewith furnished to the Enquiry Officer as required under Rule 20 (7) Andhra Pradesh Civil Services (CC&A) Rules, 1991.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

V. NAGI REDDY
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

To
The Chief Engineer, NABARD,
O/o the Engineer-In-Chief, Panchayat Raj, Hyderabad & Enquiry Officer (we)
The Superintending Engineer, Panchayat Raj, Khammam & Presenting Officer (we)
The individuals concerned **through** the Engineer-In-Chief,
Panchayat Raj, Hyderabad.

Copy to:

The Engineer-In-Chief, Panchayat Raj,
Hyderabad.

The PR&RD (Estt.II.A) Department.

The PS to M (PR&RWS)

The PS to Prl. Secy. (PR)

SF/SC

//FORWARDED :: BY ORDER//

SECTION OFFICER